

IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification System for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:

IECEX BAS 06.0001X

Page 1 of 4

Certificate history:

Status:

Current

Issue No: 8

Issue 7 (2016-12-02) Issue 6 (2015-08-03)

Issue 5 (2011-06-21)

Issue 4 (2009-11-27)

Issue 3 (2007-12-10)

Date of Issue:

2020-02-12

Issue 2 (2007-09-19) Issue 1 (2007-01-24)

Applicant:

Wolf Safety Lamp Company Ltd

Saxon Road Works

Sheffield S8 0YA

United Kingdom

Equipment:

Wolf Rechargeable Torch R-5X

Optional accessory:

Type of Protection:

Intrinsic safety, Inherently Safe Optical Radiation

Marking:

R-5X (where X < 5):-

Ex ib op is I Mb / IIC T3/T4 Gb (-20°C/-30°C/-40°C ≤ Ta ≤+40°C)

Ex ib op is IIIB T200°C Db

R-5X (where X ≥ 5):-

Ex ia op is I Ma / IIC T3/T4 Ga (-20°C/-30°C/-40°C ≤ Ta ≤+40°C)

Ex ia op is IIIB T200°C Da

The lower certification temperature marked on each torch is dependant on the torch body material used.

Approved for issue on behalf of the IECEx

Certification Body:

Position:

Signature:

(for printed version)

Date:

R S Sinclair

Technical Manager

12-2.20

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

SGS Baseefa Limited Rockhead Business Park Staden Lane Buxton, Derbyshire, SK17 9RZ **United Kingdom**





IECEx Certificate of Conformity

Certificate No.:

IECEX BAS 06.0001X

Page 2 of 4

Date of issue:

2020-02-12

Issue No: 8

Manufacturer:

Wolf Safety Lamp Company Ltd

Saxon Road Works

Sheffield S8 0YA

United Kingdom

Additional manufacturing locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2011

Explosive atmospheres - Part 0: General requirements

Edition:6.0

IEC 60079-11:2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

IEC 60079-28:2015 Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation

This Certificate does not indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

GB/BAS/ExTR06.0024/00 GB/BAS/ExTR10.0148/00 GB/BAS/ExTR19.0268/00

GB/BAS/ExTR07.0107/00 GB/BAS/ExTR15.0050/00 GB/BAS/ExTR09.0196/00 GB/BAS/ExTR16.0256/00

Quality Assessment Report:

GB/BAS/QAR06.0017/09



IECEx Certificate of Conformity

Certificate No.:

IECEX BAS 06.0001X

Page 3 of 4

Date of issue:

2020-02-12

Issue No: 8

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The Wolf Rechargeable Torch R-5X uses a single LED and rechargeable battery with an electronic control circuit housed in a right-angled anti-static thermoplastic body. The rubber armoured lens ring and end cap retain either a coated polycarbonate or toughened glass lens.

The enclosure provides an ingress protection level of IP67. The right-angle body arrangement incorporates a replaceable thermoplastic belt clip for hands-free use.

The Rechargeable Torch R-5X must be charged in a non-hazardous area with a charger having an output voltage not exceeding 14V: $U_0 = 14V$

The model number may be followed by a further suffix for operational purposes.

Primary cell versions may use only the following cell types:- any R6/AA size zinc-chloride or zinc-carbon cells, or LR6/AA size batteries of type Duracell Plus, Duracell Procell, Industrial by Duracell, Energizer Ultra+ or Energizer Industrial

SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. Dust layers must be prevented from building up on the equipment.
- 2. The equipment must not be left energised and unattended in Zone 20 areas.



IECEx Certificate of Conformity

Certificate No.:

IECEX BAS 06.0001X

Page 4 of 4

Date of issue:

2020-02-12

Issue No: 8

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Variation 8.1

To permit the use of an alternative LED and changes to an enclosure material.

EXTR: GB/BAS/EXTR19.0268/00 File Reference: 19/0456